Brain Research, 73 (1993) 299–300
© 1993 Elsevier Science Publishers B.V. All rights reserved 0165-3806/93/$06.00

Author Index

Abrams, R.M., see Burchfield, D.J. (73) 283
Agoston, D., see Summers, R.W. (73) 185
Ali, S.F., Holson, R.R., Newport, G.D., Slikker, Jr., W. and Bowyer, J.F.
Development of dopamine and *N*-methyl-D-aspartate systems in rat brain: the effect of prenatal phencyclidine exposure (73) 25
Arai, Y., see Seki, T. (73) 141

Balan, I.S., see Borisova, N.A. (73) 173
Bannon, M.J., see Lentz, S.I. (73) 35
Baram, T.Z., Hirsch, E. and Schultz, L.
Short-interval amygdala kindling in neonatal rats (73) 79
Baram, T.Z., see Yi, S.-J. (73) 253
Barker, J.L., see Fiszman, M.L. (73) 243
Becker, L., see Morrison, L.D. (73) 237
Behar, T., see Fiszman, M.L. (73) 243
Bennett, E.R., see Ebstein, R.P. (73) 165
Borisova, N.A., Ugrumov, M.V., Balan, I.S. and Thibault, J.
Development of the tuberoinfundibular system in rats: birthdates of the tyrosine hydroxylase-immunopositive neurons (73) 173
Bowyer, J.F., see Ali, S.F. (73) 25
Brenneman, D.E., see Summers, R.W. (73) 185
Bruce, L.L.
Postnatal development and specification of the cat's visual corticotectal projection: efferents from the posteromedial lateral suprasylvian area (73) 47
Bunnemann, B., Metzger, R., Fuxe, K. and Ganten, D.
Regional expression of angiotensinogen mRNA in the brain of one-week-old, adult and old male rats (73) 41
Burchfield, D.J. and Abrams, R.M.
Cocaine depresses cerebral glucose utilization in fetal sheep (73) 283

Casas, M.T., see García-Segura, L.M. (73) 63
Chronopoulos, A., see Holmes, G.L. (73) 71

Davis, F.C., see Duncan, M.J. (73) 205
Dokas, L.A., see Shaffer, L.M. (73) 133
Dorsa, D.M., see Shughrue, P.J. (73) 123
Dorsa, D.M., see Szot, P. (73) 177
Duncan, M.J. and Davis, F.C.
Developmental appearance and age related changes in specific 2-[^{125}I]iodomelatonin binding sites in the suprachiasmatic nuclei of female Syrian hamsters (73) 205

Ebstein, R.P., Bennett, E.R., Sokoloff, M. and Shoham, S.
The effect of nerve growth factor on cholinergic cells in primary fetal striatal cultures: characterization by in situ hybridization (73) 165
Eisenman, L.M., see Grunwald, G.B. (73) 146

Firkusny, I., see Jensen, F. (73) 99
Fiszman, M.L., Behar, T., Lange, G.D., Smith, S.V., Novotny, E.A. and Barker, J.L.
GABAergic cells and signals appear together in the early post-mitotic period of telencephalic and striatal development (73) 243
Fitzgerald, S.C., see Summers, R.W. (73) 185
Foehring, R.C., see Lorenzon, N.M. (73) 213
Förstermann, U., see Matsumoto, T. (73) 199
Furukawa, S., see Nakajima, M. (73) 17
Fuxe, K., see Bunnemann, B. (73) 41

Ganten, D., see Bunnemann, B. (73) 41
García-Segura, L.M., Luquín, S., Martínez, P., Casas, M.T. and Suau, P.
Differential expression and gonadal hormone regulation of histone H1° in the developing and adult rat brain (73) 63
Ge, F., Hammer Jr., R.P. and Tobet, S.A.
Ontogeny of Leu-enkephalin and β-endorphin innervation of the preoptic area in male and female rats (73) 273
Gil-Loyzaga, P., see Remezal, M. (73) 1
Goldstein, L.A., Kurz, E.M., Kalkbrenner, A.E. and Sengelaub, D.R.
Changes in dendritic morphology of rat spinal motoneurons during development and after unilateral target deletion (73) 151
Grunwald, G.B. and Eisenman, L.M.
Analysis of protein variations in adult and postnatal day 11 staggerer and lurcher mutant mice (73) 146

Hammer Jr., R.P., see Ge, F. (73) 273
Han, Y.-F., see Shaffer, L.M. (73) 133
Hanson, E.S. and Reese, B.E.
Rapid plastic response following early retinal lesions in rats (73) 293
Hayashi, K., see Nakajima, M. (73) 17
Hayashi, Y., see Nakajima, M. (73) 17
Hennig, A.K., Mangoura, D. and Schwartz, N.B.
Large chondroitin sulfate proteoglycans of developing chick CNS are expressed in cerebral hemisphere neuronal cultures (73) 261
Hirayama, K., see Lentz, S.I. (73) 35
Hirsch, E., see Baram, T.Z. (73) 79
Holmes, G.L., Chronopoulos, A., Stafstrom, C.E., Mikati, M.A., Thurber, S.J., Hyde, P.A. and Thompson, J.L.
Effects of kindling on subsequent learning, memory, behavior, and seizure susceptibility (73) 71
Holson, R.R., see Ali, S.F. (73) 25
Holtzman, D., see Jensen, F. (73) 99
Hyde, P.A., see Holmes, G.L. (73) 71

Ichimura, T., see Watanabe, M. (73) 225
Isobe, T., see Watanabe, M. (73) 225

Jensen, F., Tsuji, M., Offutt, M., Firkusny, I. and Holtzman, D.
Profound, reversible energy loss in the hypoxic immature rat brain (73) 99

Kalkbrenner, A.E., see Goldstein, L.A. (73) 151
Kapatos, G., see Lentz, S.I. (73) 35
Katay, L., see Vathy, I. (73) 115
Kawashima, T., see Nakajima, M. (73) 17
Kish, S.J., see Morrison, L.D. (73) 237
Köller, H., see Siebler, M. (73) 289
Kondo, H., see Watanabe, M. (73) 225
Kurz, E.M., see Goldstein, L.A. (73) 151
Kuwano, R., see Watanabe, M. (73) 225

Lancet, D., see Margalit, T. (73) 7
Lange, G.D., see Fiszman, M.L. (73) 243
Lentz, S.I., Poosch, M.S., Hirayama, K., Kapatos, G. and Bannon, M.J.
Substance P gene expression in sympathetic neurons is regulated by neuron/support cell interaction (73) 35
Lorenzon, N.M. and Foehring, R.C.
The ontogeny of repetitive firing and its modulation by norepinephrine in rat neocortical neurons (73) 213
Luquín, S., see García-Segura, L.M. (73) 63

MacDonald, M.C., Robertson, H.A. and Wilkinson, M.
Age- and dose-related NMDA induction of Fos-like immunoreactivity and c-*fos* mRNA in the arcuate nucleus of immature female rats (73) 193
Mangoura, D., see Hennig, A.K. (73) 261
Margalit, T. and Lancet, D.
Expression of olfactory receptor and transduction genes during rat development (73) 7
Martínez, P., see García-Segura, L.M. (73) 63
Masters, J.N., see Yi, S.-J. (73) 253
Matsumoto, T., Pollock, J.S., Nakane, M. and Förstermann, U.
Developmental changes of cytosolic and particulate nitric oxide synthase in rat brain (73) 199
Metzger, R., see Bunnemann, B. (73) 41
Mikati, M.A., see Holmes, G.L. (73) 71
Mini, K.N., see Vathy, I. (73) 115
Mollicone, R., see Remezal, M. (73) 1

Morrison, L.D., Becker, L. and Kish, S.J.
S-Adenosylmethionine decarboxylase in human brain. Regional distribution and influence of aging (73) 237
Müller, H.-W., see Siebler, M. (73) 289

Nakajima, M., Furukawa, S., Hayashi, K., Yamada, A., Kawashima, T. and Hayashi, Y.
Age-dependent survival-promoting activity of vitamin K on cultured CNS neurons (73) 17
Nakane, M., see Matsumoto, T. (73) 199
Newport, G.D., see Ali, S.F. (73) 25
Novotny, E.A., see Fiszman, M.L. (73) 243

Offutt, M., see Jensen, F. (73) 99
Oriol, R., see Remezal, M. (73) 1

Pekel, M., see Siebler, M. (73) 289
Pollack, Y., see Solberg, Y. (73) 91
Pollock, J.S., see Matsumoto, T. (73) 199
Pomés, A., Rodríguez-Farré, E. and Suñol, C.
Inhibition of *t*-[^{35}S]butylbicyclophosphorothionate binding by convulsant agents in primary cultures of cerebellar neurons (73) 85
Poosch, M.S., see Lentz, S.I. (73) 35

Raymonde Joubert-Caron, , see Remezal, M. (73) 1
Reese, B.E., see Hanson, E.S. (73) 293
Remezal, M., Gil-Loyzaga, P., Mollicone, R., Raymonde Joubert-Caron, and Oriol, R.
Histochemical localization of a β-galactoside-binding lectin and its binding-sites in developing and adult rat cochlea (73) 1
Robertson, H.A., see MacDonald, M.C. (73) 193
Rodríguez-Farré, E., see Pomés, A. (73) 85

Schultz, L., see Baram, T.Z. (73) 79
Schwartz, N.B., see Hennig, A.K. (73) 261
Seki, T. and Arai, Y.
Highly polysialylated NCAM expression in the developing and adult rat spinal cord (73) 141
Sengelaub, D.R., see Goldstein, L.A. (73) 151
Shaffer, L.M., Han, Y.-F. and Dokas, L.A.
Phorbol ester- and glutamate-sensitive phosphorylation of hippocampal membrane proteins from adult and neonatal rats (73) 133
Shoham, S., see Ebstein, R.P. (73) 165
Shughrue, P.J. and Dorsa, D.M.
Gonadal steroids modulate the growth-associated protein GAP-43 (neuromodulin) mRNA in postnatal rat brain (73) 123
Siebler, M., Pekel, M., Köller, H. and Müller, H.-W.
Strychnine-sensitive glycine receptors in cultured primary neurons from rat neocortex (73) 289
Silverman, W.F., see Solberg, Y. (73) 91
Slikker, Jr., W., see Ali, S.F. (73) 25
Smith, S.V., see Fiszman, M.L. (73) 243
Sokoloff, M., see Ebstein, R.P. (73) 165
Solberg, Y., Silverman, W.F. and Pollack, Y.
Prenatal ontogeny of tyrosine hydroxylase gene expression in the rat ventral mesencephalon (73) 91
Stafstrom, C.E., see Holmes, G.L. (73) 71
Suau, P., see García-Segura, L.M. (73) 63
Summers, R.W., Wu, X.-R., Fitzgerald, S.C., Brenneman, D.E. and Agoston, D.
Excitatory amino acid regulation of the enkephalin phenotype in mouse embryonic spinal cord cultures (73) 185
Suñol, C., see Pomés, A. (73) 85
Suzuki, Y. and Takeda, M.
Basal cells in the mouse olfactory epithelium during development: immunohistochemical and electron-microscopic studies (73) 107
Szot, P. and Dorsa, D.M.
Differential timing and sexual dimorphism in the expression of the vasopressin gene in the developing rat brain (73) 177

Takahashi, Y., see Watanabe, M. (73) 225
Takeda, M., see Suzuki, Y. (73) 107
Thibault, J., see Borisova, N.A. (73) 173
Thompson, J.L., see Holmes, G.L. (73) 71
Thurber, S.J., see Holmes, G.L. (73) 71
Tobet, S.A., see Ge, F. (73) 273
Tsuji, M., see Jensen, F. (73) 99

Ugrumov, M.V., see Borisova, N.A. (73) 173

Vathy, I., Katay, L. and Mini, K.N.
Sexually dimorphic effects of prenatal cocaine on adult sexual behavior and brain catecholamines in rats (73) 115

Watanabe, M., Isobe, T., Ichimura, T., Kuwano, R., Takahashi, Y. and Kondo, H.
Developmental regulation of neuronal expression for the η subtype of the 14-3-3 protein, a putative regulatory protein for protein kinase C (73) 225
Wilkinson, M., see MacDonald, M.C. (73) 193
Wu, X.-R., see Summers, R.W. (73) 185

Yamada, A., see Nakajima, M. (73) 17
Yi, S.-J., Masters, J.N. and Baram, T.Z.
Effects of a specific glucocorticoid receptor antagonist on corticotropin releasing hormone gene expression in the paraventricular nucleus of the neonatal rat (73) 253